#2588

SAFETY DATA SHEET WATCHDOG HEAVY DUTY GLASS CLEANER

Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name

: WATCHDOG Heavy Duty Glass Cleaner

Material number

A00124

Manufacturer or supplier's details

Company

: Phillips Supply

Address

1230 Findlay Street

Cincinnati, OH 425214

Telephone

800-245-8666 / 513-579-1762

Distributed by

Company

: Gold Medal Products Co.

Address

10700 Medallion Drive

Cincinnati, OH 45241

Telephone

800-543-0862

ļ	Emergency telephone nur	nbei	rs
-	For SDS Information	:	INFOTRAC 1-800-535-5053
	F Bladied Engagnerati		INCOTEAC 1-800-535-5053

For a Medical Emergency
For a Transportation

INFOTRAC 1-800-535-5053 INFOTRAC 1-800-535-5053

Emergency

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

		1
Appearance	Aerosol containing a liquefied gas	
Colour	white	
Odour	characteristic	

GHS Classification

Gases under pressure

: Liquefied gas

GHS Label element

Hazard pictograms

Signal word

Warning

Hazard statements

: H280 Contains gas under pressure; may explode if heated.

Precautionary statements

Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated

place.

Potential Health Effects

Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH

Confirmed animal carcinogen with unknown relevance to

humans

ethanol

64-17-5

OSHA

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

; Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
bulane	106-97-8	>= 1 - < 5
1-propoxypropan-2-ol	1569-01-3	>= 1 - < 5
ethanol	64-17-5	>= 1 · < 5

SECTION 4. FIRST AID MEASURES

General advice

: Do not leave the victim unattended.

If inhaled

: If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact

If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15

minutes.

If on clothes, remove clothes.

In case of eye contact

: Remove contact lenses.

Flush eyes with water at least 15 minutes. Get medical

attention if eye irritation develops or persists.

If swallowed

: Keep respiratory tract clear.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical

Carbon dioxide (CO2)

Foam

Unsuitable extinguishing

media

: High volume water jet

Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

Hazardous combustion

products

Carbon dioxide (CO2)
Carbon monoxide

Smoke

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

: Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Do not breathe vapours or spray mist.

Always replace cap after use.

Conditions for safe storage

: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force

or throw into fire even after use. Do not spray on flames or

red-hot objects.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Keep in a dry, cool and well-ventilated place.

Materials to avoid

Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
, and the second		TWA	1,000 ppm 1,900 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Face-shield

Safety glasses

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol containing a liquefied gas

Colour : white

Odour Characteristic

Odour Threshold : no data available
pH : no data available

Melting point/freezing point : no data available

Boiling point

Flash point

: no data available

not applicable

Evaporation rate : < 1

Flammability (solid, gas) : The product is not flammable.

Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

Upper explosion limit Lower explosion limit no data availableno data available

Vapour pressure

: no data available

Relative vapour density

; no data available

Density

: 0.99 g/cm3

Solubility(ies)

Water solubility

soluble

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature

not determined

Thermal decomposition

: no data available

Viscosity

Viscosity, kinematic

: no data available

Heat of combustion

: 3.07 kJ/g

SECTION 10, STABILITY AND REACTIVITY

Reactivity

: Stable

Chemical stability

: Stable under normal conditions.

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

Conditions to avoid Incompatible materials : Heat, flames and sparks.: Strong oxidizing agents

Hazardous decomposition

products

: Carbon dioxide (CO2) Carbon monoxide

Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

butane:

Acute inhalation toxicity

; LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 1,355 mg/l

ethanol:

Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

Acute oral toxicity

: LD50 Oral rat: 7,060 mg/kg

Acute inhalation toxicity

: LC50 rat: 124.7 mg/l Exposure time: 4 h

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damageleye irritation

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

butane:

1-propoxypropan-2-ol:

ethanol:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

no data available

Bioaccumulative potential

Product:

Partition coefficient: n-

: n-

: Remarks: no data available

octanol/water Components:

butane:

Partition coefficient: n-

: Pow: 2.89

octanol/water

Mobility in soil

no data available

Other adverse effects

no data available Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

Contaminated packaging

Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Version 1.0 Revision Date 04/24/2015 Print Date 06/10/2015

Transportation Regulation: IATA (Passenger Air):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	1	Calculated product RQ (lbs)
2,2'-iminodiethanol	111-42-2	100	3

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Sudden Release of Pressure Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA

Title III, Section 313.

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

2,2'-iminodiethanol 111-42-2

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

DSL This product contains one or several components that are not on the

Canadian DSL nor NDSL.

AICS Not in compliance with the inventory
NZIoC Not in compliance with the inventory
PICCS Not in compliance with the inventory
IECSC Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION


Version 1.0

Revision Date 04/24/2015

Print Date 06/10/2015

Further information

NFPA:



Special hazard.

HMIS III:

FLAMMABILITY	ა
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:

Hazard pictograms



Signal word Hazard statements Precautionary statements Warning:

Contains gas under pressure; may explode if heated

Storage: Protect from sunlight. Store in a well-ventilated place.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

1046760