

ICE / FREEZER

KITCHEN

BAR

SELF-SERVE

WASHROOM



Saf-T-Scoop® & Guardian™ System for Ice Machines

Protect ice from dangerous contact with knuckles and thumbs while scooping and moving ice, with the Saf-T-Scoop & Guardian System. Saf-T-Scoop's domed scoop design allows for faster and more accurate ice filling - saving time and reducing ice spill hazards. The Guardian holder provides dedicated safe and sanitary storage for Saf-T-Scoop when not in use. S19000

2 Light Duty[™] Ice Tote

For sanitary carrying and transportation of ice, the light duty ice tote is a BPA Free ice tote option. The large mouth opening attaches to the ice bin for faster and easier filling. Can be hung on wall or metal shelving. SILD6000

3 Rapi-Kool® Plus Cold Paddles

An affordable and efficient way to quickly and safely cool soups, stews and other hot liquids. The paddles work by chilling foods from the inside-out, minimizing time-temperature abuse and bacterial growth. RCU64V2, RCU128V2

4 Frozen Food Glove

Our Frozen Food Glove provides superior protection from freezing temperatures as low as 0°F (-18°C) for 60 seconds. This glove is constructed of a non-stick PVC material for dexterity with a comfortable cotton jersey lining. FGI-OR

5 Saf-T-Ice® Tote Original and Shorty™

Protect ice from dangerous contamination during transport with Saf-T-Ice Tote. This dedicated ice tote features an integrated comfort handle with raised Tri-grips™ for easy and safe pouring at any level. Patented HACCP Hanger™ attaches to ice machines for faster and more efficient filling of ice totes. SI6000 (6-gallon totes), SI6100 (5-gallon totes)

6 Saf-T-Ice® Cart

After filling totes with more than 20 lbs. of ice, transport can be hard on your back. Reduce the risk of a back injury and spilling ice by using the Saf-T-Ice Cart. Load up to two Saf-T-Ice Totes and effortlessly wheel them across the room to the bar, kitchen, or ice machine.

SICART60 (6-gallon totes), SICART61 (5-gallon totes)









EZ-Kleen[™] Oven Mitt Keep hands free of burns with

Keep hands free of burns with the easy-to-clean oven mitt with removable liner. Protects up to 450°F . For head to toe protection, see EZ-Kleen Kit. EZKI7

Digital Probe Thermometer

Continuously measures temperature of food while it cooks and features a custom temperature alert. The stainless steel probe and silicon cord are specially designed to withstand high temperatures found in an oven or grill. THDGP

3 Hand Safety Organizer

Magnetic surface for San Jamar Hand Safety products that feature the magnet storage system. Designed for sanitary and convenient storage. HO1000

4 Cool Touch™ Oven Mitt

Exceptional heat and steam protection make Cool Touch Oven Mitts great for high heat environments with Kevlar® WebGuard™. CTC13, CTP13

BestGrip® Oven Mitt

Constructed with textured, non-slip Neoprene material, allowing for a secure grip on hot sheet pans and handles. The reinforced WebGuard™ provides extra durability and protection. 810CM15 6 Kleen-Pail® Stand

Keep Kleen-Pails sanitary and raised above potentially contaminated surfaces. KPS196

7 Kleen-Pail®

Kleen-Pail meets HACCP guidelines with dedicated-use, labeled containers for cleaning and sanitizing. KP196GN, KP196RD

8 Saf-T-Knife® Station

Saf-T-Knife Station provides safe, sanitary and secure storage for kitchen knives. STK1008

9 Saf-T-Grip® Cutting Boards

Saf-T-Grip Cutting Boards combine the quality and durability of Cut-N-Carry® cutting boards with integrated anti-slip grips to provide a safe cutting surface. CBG121812, CBG152012, CBG182412

Out-Resistant Glove with Dyneema®

Flexible and lightweight gloves made with Dyneema are available in multiple sizes in order to offer a secure fit with excellent dexterity. SG10

Slide Check Rack

An innovative design that provides secure check holding and sliding. Durable, polished glass marbles allow a smooth sliding motion and won't melt. CK6548A

Large Square Kitchen Scale

Digital kitchen scale that is equipped with a highly accurate, durable sensor, perfect for kitchen use. Features an elevated stainless steel platform, a large backlight display, sealed control panel and easy touch buttons. SCDGI3

■ Saf-T-Wrap® Station

Safer and more sanitary than dirty film and foil boxes, Saf-T-Wrap Station's commercial-grade suction cup feet hold securely to countertops during use, minimizing cut injuries. SW1218

Allergen Saf-T-Zone® System

Protect guests with food allergies by using the only system of its kind. Designed to help foodservice operators create special food allergen prep procedures to avoid allergen cross-contact. ASZ121812SYS



■ Kleen Plug™

Keep your beer taps clean and sanitary with Kleen Plug. This durable brush/plug keeps fruit flies out of beer taps. It also removes yeast and sediment, for fresher, better tasting beer. KLP200

- 2 Perfect Pitcher™
 - Designed to save money by reducing waste of beer. The patented pitcher sits at an angle to reduce beer turbulence and create the perfect head. PPP60
- 3 The Dome® Garnish Center and Glass Rimming Station

Dome Garnish Centers feature a patented domed-lid that rotates back for easy access and increased capacity when closed. Add the Dome Glass Rimming Station to provide sanitary and organized storage for rimming ingredients. BD4005E, BDRX400

4 Versa-Mat®

Versa-Mat interlocking bar mats are the most versatile way to keep your bar clean and safe. The unique design raises glasses, allowing superior airflow and moisture drainage for fast, hygienic drying. VM5280

5 Stainless Steel Speed Rails

Conveniently organize bottles behind the bar for more efficient bar service. Speed Rails hold both liter and quart bottles and are available in a variety of lengths, in both single and double rails to suit your capacity needs. B5522

6 Kleen-Pail®

Kleen-Pail meets HACCP guidelines with dedicated-use, labeled containers for cleaning and sanitizing solutions. KP196GN, KP196RD

7 Kleen-Pail® Stand

Keep Kleen-Pails sanitary and raised above potentially contaminated surfaces. KPS 196

8 Saf-T-Scoop® & Guardian™ System for Bar & Beverage Stations

Protect ice from dangerous contact with knuckles and thumbs while scooping and serving, with the Saf-T-Scoop & Guardian System. Saf-T-Scoop's domed scoop design allows for faster and more accurate ice serving, saving time and reducing ice spill hazards. SI5000

Saf-T-Ice® Tote Original and Shorty™

Protect ice from dangerous contamination during transport with Saf-T-Ice Tote from San Jamar. This dedicated ice tote features an integrated comfort handle with raised Tri-grips™ to prevent hand contamination and for easy and safe pouring at any level. Patented HACCP Hanger™ attaches to ice machines for faster and more efficient filling of ice totes. SI6000, SI6100



- Venue® Countertop Napkin Dispenser
 San Jamar's Venue line of napkin dispensers offer optimal dispensing for a variety of napkin sizes including minifold, fullfold and interfold napkins.
 The stackable design is ideal for high-volume dispensing in tight spaces. H5005TBK
- 2 FrontLine™ Countertop Dual Condiment System

An ideal solution for dispensing condiments and sauces. Trays feature individual notched lids that will accommodate spoons while keeping condiments covered and protected from contaminants. Included pumps dispense a variety of sauces, dressings and toppings. P4826

3 Venue® Coffee Sleeve Dispenser
Organize your counter space with the fast and
easy dispensing of coffee sleeves. The dispenser
provides convenient, one-handed access to
beverage sleeves for guests and employees. Can
be wall mounted or set on countertop. CSD100

4 Wireworks™ Cup Dispenser & Lid Organizer

An economic way to dispense cups one-at-a-time. Coils easily adjust to accommodate paper, plastic, or foam cups 8-44 ounces, while the top lid tray provides easy access to lids. Features suction cup feet to hold unit securely in place and is available in models with and without side panels. Optional spindle organizes domed lids; straw caddy holds straws or stir sticks. C8503WF

Sentry® Beverage & Lid Dispenser Cabinet
This countertop product features a Sentry
Cup Dispenser, EZ-Fit Lid Dispenser, and
a straw compartment all in one attractive
black cabinet. Dispenses paper, plastic or
foam beverage cups with adjustable Lifetime
Levers™ to accommodate multiple size cups.
Dispenses cold beverage lids one-at-a-time
and has an open compartment for straw
storage and dispensing. L22CS2951BK









- Summit Hybrid Soap & Hand Sanitizer Dispenser Designed to coordinate with San Jamar's Summit family of dispensers, these durable universal dispensers are designed to dispense bulk soap – either foam, lotion or hand sanitizers. SH(F)970BKSS
- 2 Arriba™ Twist Passive™
 The Arriba Twist Passive is the greenest air care technology in the industry, including 100% recyclable refills and battery-free dispersion system. The patented QuickLoad™ design allows the refill to twist in from the bottom without opening the dispenser. WP9070BKSS
- 3 Summit Smart System with IQ Sensor Electronic Roll Towel Dispenser
 Take control of your roll towel dispensing with San Jamar's Summit Smart System. In addition to being able to dispense any brand of roll towel, this universal touchless electronic roll towel dispenser offers maximum flexibility. Best of all, these features come in an attractive family look (coordinate with your soap, tissue and air care dispensers) with the longest battery life in the industry. T1470BKSS
- 4 Summit Twin 9" JBT Dispenser
 The industry-leading Twin 9" JBT Dispenser is
 one of San Jamar's most versatile jumbo bath
 tissue dispensers. This dispenser offers the
 highest capacity of any tissue dispenser. It's slim
 and compact size makes it a perfect fit in any
 washroom. R4070BKSS







ICE / FREEZER

SAF-T-SCOOP® & GUARDIAN™ SYSTEM FOR ICE MACHINES

Item Description

INCLUDED MOUNTING TOOLS: (1) MOUNTING BRACKET, (2) WIRE HANGING BRACKETS AND (2) SUCTION CUPS

Scoop Guardian System 64-86 oz. (1.9-2.5 L)

(1) Saf-T-Scoop, (1) Guardian holder with removable drainage cap, (1) set mounting tools SI9500

Saf-T-Scoop 64-86 oz. (1.9-2.5 L) (scoop only)

LIGHT DUTY™ ICE TOTE

SI9000

Item	Description	Capacity
SILD6000	Light Duty Ice Tote	25 lbs. (11.3 kg)

ORIGINAL & SHORTY™ SAF-T-ICE® TOTE

Item	Description	Capacity
SI6000	Original Saf-T-Ice Tote	6 gallons (22.7 L)
SI6100	Shorty Saf-T-Ice Tote	5 gallons (18.9 L)

RAPI-KOOL® PLUS COLD PADDLES

Item	Description
RCU64V2	64 oz. (1.9 L)
RCU64V2RD	Retail Package 64 oz. (1.9 L) Unit fully assembled, in clear bag with hang tag
RCU128V2	128 oz. (3.8 L)
RCU128V2RD	Retail Package 128 oz. (3.8 L) Unit fully assembled, in clear bag with hang tag

FROZEN FOOD GLOVE

ltem	Size	Materials	Temperature Protection
FGI-OR	One size fits all	PVC with cotton jersey liner	As low as 0°F (-18°C) for 60 sec

SAF-T-ICE® CART

37 (1-1-1CL C/((()				
Item	Description			
SICART60	Cart transportation system for use with (2) SI6000 Saf-T-Ice Totes (Totes sold separately)			
SICART61	Cart transportation system for use with (2) SI6100 Saf-T-Ice Totes (Totes sold separately)			



KITCHEN

EZ-KLEEN™ OVEN MITT						
ltem	Length	Description	Temperature Protection			
EZK*	15" (381 mm) 17" (432 mm)	Conventional Style	Up to 450°F (232°C) for 15 sec			



Item	$\begin{array}{c} \textbf{Dimensions} \\ \textbf{H} \times \textbf{W} \times \textbf{D} \end{array}$	Weight	Temperature Range	Units	Batteries
THDGP	2.75" × 2.25" × 05" (70 × 57 × 13 mm)	0.2 lbs. (0.09 kg)	32°F - 392°F (0°C - 200°C)	Fahrenheit and Celsius	Battery included

 $For additional \ thermometers, please \ visit \ www.sanjamar.com/product-categories/kitchen/measurement-tools/$

HAND SAFETY ORGANIZER

117 (110 37 (1211	OTTO/ II TIZZIT	
Item	Size	Description
HO1000	18" × 2" (457 × 51 mm)	Magnetic steel bar

\sim	\sim	\cap	$T \cap$	\Box	1 I IM	$\bigcirc \lor \lor$	'TNI	MITT
	. 🕠	ソフィ		w.		しノV	Γ	

COOL TO	COOL TOUCH OVEN MITT							
Item	Length	Description	Temperature Protection					
CTC*	13" (330 mm) 15" (381 mm) 17" (432 mm) 24" (610 mm)	Conventional Style	Up to 500°F (260°C) for 15 sec					
CTP*	13" (330 mm) 15" (381 mm) 17" (432 mm) 24" (610 mm)	Puppet Style	Up to 500°F (260°C) for 15 sec					





^{*} Specify desired length. Example: CTC I 3 $\,$

KITCHEN

BESTGRIP® OVEN MITT							
ltem	Length	Color	Description	Temperature Protection			
810CM*	15" (381 mm) 17" (432 mm)	Tan/Black	Conventional Style	Up to 500°F (260°C) for 60 sec			
810PM*	15" (381 mm) 17" (432 mm)	Tan/Black	Puppet Style	Up to 500°F (260°C) for 60 sec			















KIF	·+N-	PAII'	™ STA	CIN

ltem	Color	Description
KPS97	BK	Fits KP97 (3 quart)
KPS196	BK	Fits KP196 (6 quart)
KPS97WM	BK	Wall Mount, fits KP97 (3 quart)
KPS196WM	BK	Wall Mount, fits KP196 (6 quart)

ltem	Color	Description
KP97**	RD, GN	3 quart (2.84 L)
KP196**	RD, GN	6 quart (5.68 L)
KP256**	RD, GN	8 quart (7.57 L)
KP320**	RD, GN	10 quart (9.46 L)

saf-t-knife® station

Item	Description	Dimensions $H \times W \times D$
STK1008	Saf-T-Knife® Station	$15" \times 15" \times 4\frac{1}{4}"$ (381 × 381 × 108 mm)
STK1006	Saf-T-Knife® Station r.	$14\frac{1}{2}$ " × $8\frac{3}{10}$ " × 4" (368 × 211 × 102 mm)

SAF-T-GRIP® CUTTING BOARDS

0711 1 01111 00	711110 00711100	
ltem	Color	Description
CBG6938**	BK, GN, PR, RD, WH, YL	$6" \times 9" \times \frac{3}{8}"$ (152 × 229 × 9.5 mm)
CBG912**	BL, BR, GN, PR, RD, WH, YL	$9" \times 12" \times \frac{3}{8}"$ (229 × 305 × 9.5 mm)
CBG121812**	BL, BR, GN, PR, RD, WH, YL	12" × 18" × ½" (305 × 457 × 13 mm)
CBG152012**	BL, BR, GN, PR, RD, WH, YL	15" × 20" × ½" (381 × 508 × 13 mm)
CBG182412**	BL, BR, GN, PR, RD, WH, YL	18" x 24" x ½" (457 x 610 x 13 mm)

^{**} Specify desired color: Example: KP196GN

KITCHEN

cut-resistant glove with dyneema®					
Item	Color	Size	Length	Material	Cut Protection
SG10-*	White	S, M, L, XL	(279 mm)	Dyneema composite yarn	ANSI Level 5 Cut Protection Meets OSHA standard (29 CFR) 1910.132
SG10-***	Blue (BL) Green (GN) Purple (PR) Red (RD) Yellow (Y)	S, M, L	(279 mm)	Dyneema composite yarn	ANSI Level 5 Cut Protection Meets OSHA standard (29 CFR) 1910.132



SLIDE CHECK I	VACKS	
ltem	Length	Dimensions $H \times W \times D$
CK6512A	12" (305 mm)	2" × 12" × ³ / ₄ " (51 × 305 × 19 mm)
CK6518A	18" (458 mm)	2" × 18" × 3/4" (51 × 458 × 19 mm)
CK6524A	24" (610 mm)	2" × 24" × ³ / ₄ " (51 × 610 × 19 mm)
CK6530A	30" (762 mm)	2" × 30" × ³ / ₄ " (51 × 762 × 19 mm)
CK6536A	36" (915 mm)	2" × 36" × ³ / ₄ " (51 × 915 × 19 mm)
CK6544A	44" (I,II8 mm)	$2" \times 44" \times \frac{3}{4}"$ (51 × 1,118 × 19 mm)
CK6548A	48" (1,219 mm)	2" × 48" × ³ / ₄ " (51 × 1,219 × 19 mm)
CK6560A	60" (1,524 mm)	$2" \times 60" \times \frac{3}{4}"$ (51 x 1,524 x 19 mm)



LARGE	square kitchen so	CALE			
Item	Dimensions $H \times W \times D$	Weight	Capacity	Increments	Adapter/Batteries
SCDG13	9.75" × 7.25" × 3.75" (248 × 184 × 96 mm)	2.59 lbs. (1.2 kg)	13 lbs. (6 kg)	0.1 oz (1 g)	Power Adapter Optional, Batteries Included





KITCHEN

ALLEKGEN	SAF-I-ZONE"	SYSTEM
ltem	Includes	

ltem	Includes
ASZ121812SYS	 (1) Saf-T-Grip purple cutting board (CBG121812PR) 12" x 18" x ½" (305 x 457 x 13 mm) (1) Stainless steel chef knife with purple handle 10" (254 mm) (1) Stainless steel tongs with purple handle 12" (305 mm) (1) Stainless steel turner with purple handle 13" (330 mm) (Thermometer not included)
ASZTHERMW	Professional digital thermometer with protective sheath, dishwasher safe



SAF-T-WRAP® STATION			
Item	Description	Capacity	Core Diameter
SW1218	Saf-T-Wrap Station with Safety Blade (for film, foil or paper)	Accepts date label rolls from 0.75"-3" (1.9-7.6 cm) wide; 3.25" (8.25 cm) diameter. (1.9 L) Dispense Film/Foil/Paper rolls from 12"-18" (30.48-42.75 cm), 5.1" (12.95 cm) total diameter	12" (305 mm) min.
SW1218SC	Saf-T-Wrap Station with Slide Cutter (for film)	Accepts date label rolls from 0.75"-3" (1.9-7.6 cm) wide; 3.25" (8.25 cm) diameter: (1.9 L) Dispense Film rolls from 12"-18" (30.48-42.75 cm), 5.1" (12.95 cm) total diameter	12" (305 mm) min.



3AF-1-VVF	RAP STATION 12 & 18	
Item	Description	Capacity
SW12	Saf-T-Wrap with Slide Cutter and optional Safety Blade (for film or foil)	Dispense Film/Foil rolls from 12" (305 mm)
SW18	Saf-T-Wrap with Slide Cutter and optional Safety Blade (for film or foil)	Dispense Film/Foil rolls from 15"-18" (381 mm - 457 mm)



KLEEN PLUG™		
Item	Description	Quantity
KLP200	Kleen Plug Blister Pack	5
KLP250	Kleen Plugs Bulk	50

KLP250	Kleen Plugs Bulk	50
PERFECT F	PITCHER™	
Item	Capacity	Dimensions $H \times W \times D$
PPP60	60 oz.	9" × 6.5" × 7" (228 × 165 × 178)

		7
Milk.		
D		
	-	3

THE DOME® GARNISH CENT	ED AND CLAS	S DIMMINIC ST	ATION

THE DOME" GARNISH CENTER AND GLASS RIMMING STATION				
Item	Description	Capacity		
BDRX400	Rimming Station to be used with The Dome® Garnish Centers			
BD4005S	(1) 2 qt. (1.9 L) deep tray; (4) pt. (0.47 L) standard trays; (2) snap-on caddies, handles	4 qt. (3.8 L)		
BD4005E	(1) 2 qt. (1.9 L) deep tray; (4) pt. (0.47 L) standard trays; (2) end caps; (1) snap-on caddy	4 qt. (3.8 L)		
BD4023S	(2) 3 qt. (2.9 L) deep trays; (3) pt. (0.47 L) standard trays; (2) snap-on caddies, handles	4.5 qt. (4.25 L)		
BD4006S	(6) pt. (0.47 L) standard trays; (2) snap-on caddies, handles	3 qt. (2.8 L)		
INSERT TRAYS				
BD4003	(3) 2 qt. (1.9 L) quart deep trays; (2) handles	6 qt. (5.6 L)		
BD4004	(4) 3 pt. (2.9 L) deep trays; (2) handles	6 qt. (5.6 L)		
BD4014	(4) 1.5 pt. (0.71 L) standard trays; (2) handles	3 qt. (2.8 L)		



	(R
VERSA.	-ΜΑΤς

VENSA-MAT				
ltem	Color	Description	Dimensions $H \times W$	
VM5280*	BK, CL, RD, WN	Interlocking Bar Matting	12" × 12"(305 × 305 mm)	
VM5280*-12	BK CL RD WN	Interlocking Bar Matting 12 pk	12" × 12"(305 × 305 mm)	



^{*} Specify desired color. Example:VM5280RD

RΔR

STAINLESS STEEL SPEED RAILS				
Item	Length	Dimensions $H \times W \times D$		
B5522	Holds (5) I qt. (0.95 L) bottles	$6" \times 21\frac{1}{4}" \times 4\frac{1}{8}"$ (152 × 540 × 105 mm)		
B5532	Holds (8) I qt. (0.95 L) bottles	$6" \times 31 \frac{1}{8}" \times 4\frac{1}{8}" (152 \times 791 \times 105 \text{ mm})$		
B5542	Holds (10) 1 qt. (0.95 L) bottles	$6" \times 41\frac{1}{4}" \times 4\frac{1}{8}"$ (152 × 1048 × 105 mm)		
B500	Hanger Straps for Single Speed Rails			
B5522D	Holds (10) 1 qt. (0.95 L) bottles	5%" × 18 " × $5%$ " (149 × 457 × 137 mm)		
B5532D	Holds (16) 1 qt. (0.95 L) bottles	5%" × 18 " × $5%$ " (149 × 457 × 137 mm)		
B5542D	Holds (20) qt. (0.95 L) bottles	$12\frac{3}{4}$ " × $20\frac{7}{8}$ " × 12 " (324 × 530 × 305 mm)		



KLEEN-PAIL®			
ltem	Color	Description	
KP97*	RD, GN	3 quart (2.84 L)	
KP196*	RD, GN	6 quart (5.68 L)	
KP256*	RD, GN	8 quart (7.57 L)	
KP320*	RD, GN	10 quart (9.46 L)	



KLEEN-PAIL® STAND			
ltem	Color	Description	
KPS97	BK	Fits KP97 (3 quart)	
KPS196	BK	Fits KP196 (6 quart)	
KPS97WM	BK	Wall Mount, fits KP97 (3 quart)	
KPS196WM	BK	Wall Mount, fits KP196 (6 quart)	



SI7850

SI4550

BAR

SAF-1-SCOOP® 8	& GUARDIAN "SYSTEM FOR BAR & BEVERAGE STATIONS
Item	Description
INCLUDED MOUNTING	TOOLS : (1) MOUNTING BRACKET, (2) WIRE HANGING BRACKETS AND (2) SUCTION CUPS
SI5000	Scoop Guardian System 6-10 oz. (177-295 ml) (1) Saf-T-Scoop, (1) Guardian holder with removable drainage cap, (1) set mounting tools
SI5500	Saf-T-Scoop 6-10 oz. (177-295 ml) (scoop only)
SI7000	Scoop Guardian System 12-16 oz. (355-473 ml) (1) Saf-T-Scoop, (1) Guardian holder with removable drainage cap, (1) set mounting tools
SI7500	Saf-T-Scoop 12-16 oz. (355-473 ml) (scoop only)
SI7700	Scoop Guardian System 20-24 oz. (591-710 ml) (1) Saf-T-Scoop (1) Guardian holder with removable drainage cap, (1) set mounting tools
SI7750	Saf-T-Scoop 20-24 oz. (591-710 ml) (scoop only)
SI7800	Scoop Guardian System 8-24 oz. (236-710 ml) (1) Adjustable Saf-T-Ice Scoop, (1) Guardian holder with removable drainage cap, (1) set mounting tools



ORIGINAL & SHORTY™ SAF-T-ICE® TOTE			
Item	Description	Capacity	
SI6000	Original Saf-T-Ice Tote	6 gallons (22.7 L)	
SI6100	Shorty Saf-T-Ice Tote	5 gallons (18.9 L)	
SI6000BPAF	BPA Free Saf-T-Ice Tote	6 gallons (22.7 L)	

Adjustable Saf-T-Scoop 8-24 oz. (236-710 ml) (scoop only)

Saf-T-Scoop 4-6 oz. (118-177 ml) (scoop only)



^{*} Specify desired color. Example: KP196RD

SELF-SERVE

VENUE® COUNTERTOP NAPKIN DISPENSER					
Item	Color	Туре	Capacity	Dimensions $H \times W \times D$	
H5000*	CL,TBK	Minifold/Control Face	450	5% × 8" × $15%$ " (149 × 203 × 400 mm)	
H5003*	CL,TBK	Interfold	550	$7\frac{4} \times 8^{8} \times 15\frac{3}{4}$ " (184 × 203 × 400 mm)	
H5004*	CL,TBK	Mini Interfold	550	5% × 8" × $15%$ " (149 × 203 × 400 mm)	
H5005*	CL,TBK	Fullfold/Control Face	450	$7\frac{1}{4} \times 8^{1} \times 15\frac{3}{4}$ (184 × 203 × 400 mm)	



FRONTLINE™ COUNTERTOP DUAL CONDIMENT SYSTEM				
Item	Color	Dimensions $H \times W \times D$		
(2) PUMP BOX SYS	(2) PUMP BOX SYSTEMS (EITHER P4800 OR P4800BK) AND (1) STEPPED TRAY B4702INL			
P4826	Metal Finish	without pumps: $11" \times 20\%" \times 12"$ (279 × 511 × 305 mm) with pumps: $20\%" \times 12"$ (514 × 511 × 305 mm)		
P4826BK	Black	without pumps: $11" \times 20\%" \times 12"$ (279 × 511 × 305 mm) with pumps: $20\%" \times 20\%" \times 12"$ (514 × 511 × 305 mm)		



VENUE® COFFEE SLEEVE DISPENSER			
ltem	Description	Dimensions $H \times W \times D$	
CSD100	For use with sleeves up to $2\frac{1}{2}$ " $\times 4^{7}/_{8}$ " (H \times W)	$5\frac{1}{4}$ " × $5\frac{3}{4}$ " × $14\frac{3}{4}$ " (133 × 146 × 375 mm)	



SELF-SERVE

SENTRY® BEVERAGE & LID DISPENSER CABINETS				
Item	Includes Dimensions $H \times W \times D$			
BEVERAGE, LID & STRAW CABINET				
L22CS2951BK	S2951BK 1) C5450C, (1) L2200C, (1) straw compartment, black trim rings $22\frac{3}{8} \times 7\frac{3}{4} \times 25\frac{3}{8} (568 \times 197 \times 645 \text{ m})$			
BEVERAGE & LID CABINETS				
L22C2951BK	(1) C5450C, (1) L2200C, black trim rings	$15\frac{1}{8}$ " × $7\frac{3}{4}$ " × $25\frac{3}{8}$ " (384 × 197 × 645 mm)		
L24C2951BK	(1) C5450C, (1) L2200C, black trim rings	151/8" × 73/4" × 253/8" (384 × 197 × 645 mm)		



WIREWORKS™ CUP DISPENSER & LID ORGANIZER Item Description Dimensions H×W×D			
Item	Description	Dimensions ¬ x vv x D	
BASE UNIT			
C8503WF	(2) cup dispensers, (1) lid organizer	$19^{3}/_{8}$ " × $6^{3}/_{8}$ " × $18^{1}/_{4}$ " (492 × 162 × 464 mm)	
C8504WF	(3) cup dispensers, (1) lid organizer	$24^{3}/_{8}$ " × $6^{3}/_{8}$ " × $18^{1}/_{4}$ " (620 × 162 × 464 mm)	
INCLUDES SIDE PANELS			
C8503WFD	(2) cup dispensers, (1) lid organizer, (2)	$19^{3}/_{8}$ " × $6^{3}/_{8}$ " × $18\frac{1}{4}$ " (492 × 162 × 464 mm)	
	side panels	1776 X 076 X 1071 (172X 102X 10111111)	
C8504WFD	(3) cup dispensers, (1) lid organizer, (2)	$24^{3}/_{8}$ " × $6^{3}/_{8}$ " × $18\frac{1}{4}$ " (620 × 162 × 464 mm)	
C030 1441 B	side panels	2178 X 078 X 1074 (020 X 102 X 101111111)	
ACCESSORIES			
X10194	Spindle for domed lids		
X101987	(2) Spindle set for domed lids		
C8500S	Straw organizer kit (cup and caddy)		



^{*} Specify desired color: Example: H5000TBK

WASHROOM

rely® hybrid soap & sanitizer dispensers					
ltem	Color	Capacity	Dimensions $H \times W \times D$		
CLASSIC STYLE					
SH900* (LIQUID & LOTION)	TBL,TBK	900 ml (1 ml or .5 ml portion dispensed)	12" × 5.5" × 4" (305 × 140 × 102 mm)		
SHF900* (FOAM)	TBL,TBK	900 ml (1 ml or .5 ml portion dispensed)	12" × 5.5" × 4" (305 × 140 × 102 mm)		
SUMMIT STYLE					
SH970* (LIQUID & LOTION)	BKSS, SS, WHCL, CUSTOM	900 ml (1 ml or .5 ml portion dispensed)	12" × 5.5" × 4" (305 × 140 × 102 mm)		
SHF970* (FOAM)	BKSS, SS, WHCL, CUSTOM	900 ml (1 ml or .5 ml portion dispensed)	12" × 5.5" × 4" (305 × 140 × 102 mm)		



ARRIBA™ TWIST PASSIVE				
ltem	Color	Dimensions $H \times W \times D$		
WP 107 80 1202	Gray	$2\frac{1}{8}$ " × $4\frac{1}{8}$ " × $2\frac{1}{8}$ " (73 × 117 × 73 mm)		
WP 107 80 1203	White	2%" × $4%$ " × $2%$ " (73 × 117 × 73 mm)		
SUMMIT STYLE				
WP9070*	BKSS, SS, WHCL, CUSTOM	2%" × $4%$ " × $2%$ " (73 × 117 × 73 mm)		



SMART SYSTEM WITH I.Q. SENSOR TOWEL DISPENSER				
ltem	Color	Capacity	Core Diameter	Dimensions $H \times W \times D$
CLASSIC STY	LE			
T1400*	TBL,TBK,WH	8" (200 mm) wide roll dia. & 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
OCEANS® ST	ΓYLE	, ,		· ·
T1490*	TBL,TBK	8" (200 mm) wide roll dia. & 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
SUMMIT STYLE				
T1470*	BKSS, SS, WHCL, CUSTOM	8" (200 mm) wide roll dia. & 4" (100 mm) dia. stub roll	1½" (38 mm)	$16\frac{1}{16}$ " × $12^{11}/_{16}$ " × $9\frac{3}{4}$ " (410 × 311 × 248 mm)



TWIN 9" BT				
ltem	Color	Capacity	Core Diameter	Dimensions $H \times W \times D$
CLASSIC ST	YLE			
R4000*	TBL,TBK	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	12" × 19" × 51/4" (305 × 483 × 133 mm)
OCEANS®	STYLE			,
R4090*	TBL,TBK	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	12" × 19" × 51/4" (305 × 483 × 133 mm)
SUMMIT STYLE				
R4070*	BKSS, SS, WHCL, CUSTOM	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	$11^9/_{10}$ " × $20^1/_{14}$ " × $5^7/_8$ " (300 × 514 × 149 mm)







DOWNLOAD THE **SAN JAMAR RESTAURANT SOLUTIONS** APP FOR A DIGITAL INTERACTIVE VERSION OF THIS BOOKLET.

^{**} Specify desired color after item number: Example: R4000TBL $\,$

San Jamar 555 Koopman Lane Elkhorn, Wisconsin 53121 USA

T: +1.262.723.6133 F: +1.262.723.4204

info@sanjamar.com www.sanjamar.com

Canada

3280 Bloor Street West Suite 1140 11th Floor, Centre Tower Toronto, ON M8X 2X3 CANADA

CANADA T: +1.262.723.6133 F: +1.262.723.4204

canada@sanjamar.com

Europe

Schoorstraat 26a, bus I 2220 Heist-op-den-Berg BELGIUM

T: +32 15 22 81 40 F: +32 15 22 81 48

emea@sanjamar.com

México

Av. Paseo de la Reforma No. 350 - 10 Col. Juarez Deleg. Cuauhtemoc, CP 06600

MEXICO, D.F.

T: +52 (55) 3626 0772 mexico@sanjamar.com



© Copyright San Jamar, Inc. 2017

Z031914E_RevA