


Portables

*Cafeterias • Buffets • Convenience Stores
Supermarkets & Delis • Restaurants & Cafés
Clubs & Bars • Catering • Concessions*



GRSSR with optional 3" or 5" risers in standard Night Sky simulated stone *pg. 117*



GRSSR20-DL77516 with standard Night Sky simulated stone heated base *pg. 117*



GRS-72-I with Accessory food pans *pg. 119*



GR2S-30 with optional *Designer* Hunter Green inset panels and Accessory pizza pans *pg. 121*



GRSS-3618 in optional Bermuda Sand simulated stone *pg. 122*



HBG-2418 in optional White Glass *pg. 123*



GRHW-1SGDS (signage not included) *pg. 125*



GRHW-1SG *pg. 125*



GRBW-72 Two units side by side *pg. 126*

Portable Lamp Warmer

The portable, powdercoated Hatco Lamp Warmer has a specially-designed stand that keeps food holding pans above the countertop and provides insulation to extend holding times.

- Features two vented lamps with heavy-duty sockets
- Adjustable stand from 24 $\frac{3}{8}$ " to 30 $\frac{3}{8}$ " in height
- Cord and plug with in-line power switch

- Gray Granite is Standard color with optional *Designer Colors* available: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper (non-standard colors are non-returnable)
- Holds food pans, wire trivets and fry ribbons

LW-2 in optional *Designer* Black with Accessory food pans



PORTABLE LAMP WARMER

Model	No. of Bulbs	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
LW-2	2	12 $\frac{3}{4}$ " x 21 $\frac{1}{2}$ " x 24 $\frac{3}{4}$ "-30 $\frac{3}{4}$ "	120	500	NEMA 5-15P	18 lbs.

All Portable Lamp Warmer Models Feature:

Bulbs: Two 250 Watt *uncoated* clear bulbs.

Cord Location: 6' cord and plug, located back of adjustable stand near top.

Lamp Distance: 10 $\frac{1}{2}$ "-16 $\frac{1}{2}$ " space from bottom of lamp to top of base.

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Gray Granite standard –

RED Warm Red

BLACK Black

WHITE White Granite

NAVY Navy Blue

GREEN Hunter Green

COPPER Antique Copper

ACCESSORIES (available for purchase at any time)

WHITE-CTD-120 250 Watt Clear Bulb, Coated (unit accommodates two bulbs)


RED-UCTD-120 250 Watt Red Bulb, Uncoated (unit accommodates two bulbs)

RED-CTD-120 250 Watt Red Bulb, Coated (unit accommodates two bulbs)

FRY RIBBONS – PAGE 109

FOOD PANS AND TRIVETS – PAGE 245

COLORS AND FINISHES – INSIDE BACK COVER



Glo-Ray® Portable Round Heated Shelves

The contemporary-styled Round Heated Shelves keeps hot food at serving temperatures. Ideal when used for wrapped product or for use behind a sneeze guard with unwrapped food like pizza, biscuits, muffins and cookies.

- Unit is designed for countertop or built-in use – see cutout dimensions shown below
- Uniform heat distribution with blanket-type element
- Thermostatically-controlled heated base
- Available in three sizes to hold standard 15", 17" or 19" diameter pans
- Optional stainless steel trim



GRSR-17 in optional *Designer* Navy Blue with Accessory food pan

GRSR-19 in optional *Designer* Hunter Green with Accessory pizza pan

GLO-RAY PORTABLE ROUND HEATED SHELVES

Model	Dimensions Diameter x H	Max. Pan Size Diameter	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
GRSR-15	16 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	15"	120	250	NEMA 5-15P	12 lbs.
GRSR-17	18 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	17"	120	325	NEMA 5-15P	14 lbs.
GRSR-19	20 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	19"	120	400	NEMA 5-15P	17 lbs.

All Glo-Ray Portable Round Heated Shelf Models Feature:
Cord Location: 6' cord and plug, located underneath.

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Black standard –

RED	Warm Red
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper
SS SIDE	Stainless Steel Side

FOOD PANS AND TRIVETS – PAGE 245

COLORS AND FINISHES – INSIDE BACK COVER

PORTABLE ROUND HEATED SHELVES COUNTERTOP CUTOUT DIMENSIONS (For Built-in Applications)

Model	Minimum Diameter	Maximum Diameter	Below Counter
GRSR-15	16 $\frac{1}{8}$ "	16 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "
GRSR-17	18 $\frac{1}{8}$ "	18 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "
GRSR-19	20 $\frac{1}{8}$ "	20 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "



Glo-Ray® Portable Round Heated Simulated Stone Shelves

Hatco's Glo-Ray® Simulated Stone Round Portable Heated Shelves are made of foodsafe materials and are offered in three colors. These unique warmers will safely hold food hot while blending in with your décor and are ideal for buffet lines or as hors d'oeuvre displays.

- Blanket-type element creates uniform heat across the entire simulated stone surface
- Features a lighted rocker switch and thermostatically-controlled heated base to help hold your food hot and delicious
- Optional 3" or 5" risers available in stainless steel (Standard) or *Designer Colors*
- Models with simulated stone are Swanstone®

GRSSR-16 in Standard Night Sky simulated stone with optional 3" riser in optional *Designer Gray Granite*



GRSSR-18 in Standard Night Sky simulated stone with optional 5" riser in optional *Designer Warm Red*



GRSSR-20 in Standard Night Sky simulated stone



GRSSR20-DL77516 in Standard Night Sky simulated stone with Standard *Designer Black* Base and Lamp



GLO-RAY PORTABLE ROUND HEATED SIMULATED STONE SHELVES

Model	Dimensions	Voltage	Watts	Amps	Plug	Approx. Ship Weight
	Dia. x H	Single Phase				
GRSSR-16	16" x 2½"	120	250	2.1	NEMA 5-15P	14 lbs.
GRSSR-18	18" x 2½"	120	325	2.7	NEMA 5-15P	16 lbs.
GRSSR-20	20" x 2½"	120	400	3.3	NEMA 5-15P	18 lbs.

All Glo-Ray Portable Round Heated Simulated Stone Shelf Models Feature:

Temperature Range: 100°-200°F.

Cord Location: 6' cord and plug, located on back side on base.

GLO-RAY PORTABLE ROUND HEATED SIMULATED STONE SHELVES with DECORATIVE LAMP

Model	Dimensions	Voltage	Watts	Amps	Plug	Approx. Ship Weight
	W x D x H	Single Phase				
GRSSR16-DL77516	16" x 20½" x 36"	120	500	4.2	NEMA 5-15P	27 lbs.
GRSSR18-DL77516	18" x 21½" x 36"	120	575	4.8	NEMA 5-15P	30 lbs.
GRSSR20-DL77516	20" x 22½" x 36"	120	650	5.4	NEMA 5-15P	32 lbs.

All Glo-Ray Portable Round Heated Simulated Stone Shelf Models with Decorative Lamp Feature:


Bulb: One, 250 Watt clear bulb, uncoated.

Temperature Range: 100°-200°F.

Cord Location: 6' cord and plug, located on back side on base.

Lamp Distance: 16¼" space from bottom of shade to base.

OPTIONS AND ACCESSORIES – PAGE 118





Two **GRSSR20-DL77516** units in optional Gray Granite simulated stone and Standard *Designer* Black Base and Shade

OPTIONS *(available at time of purchase only)*

120H-CTD-W 120V, 375W Clear Coated Bulb in lieu of 120V uncoated white bulb (High Watt models only)

120H-UCTD-W 120V, 375W Clear Uncoated Bulb in lieu of 120V uncoated white bulb (High Watt models only)

Designer Color Base (and Lamp for GRSSRxx-DL77516 models) –

Non-standard colors are non-returnable – Black standard –

RED	Warm Red
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Simulated stone color – Non-standard colors are non-returnable – Night Sky standard –

SS-GGRAN	Gray Granite
SS-BSAND	Bermuda Sand

3" Risers (not available on the GRSSRxx-DL77516 models) – Available in Designer Colors–

Non-standard colors are non-returnable – Stainless Steel standard –

3RISER16	GRSSR-16
3RISER18	GRSSR-18
3RISER20	GRSSR-20

5" Risers (not available on the GRSSRxx-DL77516 models) – Available in Designer Colors –

Non-standard colors are non-returnable – Stainless Steel standard –

5RISER16	GRSSR-16
5RISER18	GRSSR-18
5RISER20	GRSSR-20

ACCESSORIES *(available for purchase at any time)*

WHITE-CTD-120 250 Watt Clear Bulb, Coated (GRSSRxx-DL77516 models accommodate one bulb)

RED-UCTD-120 250 Watt Red Bulb, Uncoated (GRSSRxx-DL77516 models accommodate one bulb)

RED-CTD-120 250 Watt Red Bulb, Coated (GRSSRxx-DL77516 models accommodate one bulb)

COLORS AND FINISHES – INSIDE BACK COVER

Glo-Ray® Portable Heated Shelves

Whether you need a heated workspace or extra base heat in a pass-through or buffet area, Hatco's full line of Glo-Ray® Heated Shelf options can help you. Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food.

Flexibility, style and quality mark these workhorses of the buffet. Available in a variety of widths and depths to meet your specific needs.

- Uniform heat distribution with a blanket-type element
- Built-in adjustable thermostat controls surface temperature
- Extruded aluminum base with stainless steel top – optional Hardcoat Aluminum surface
- Accessory 4" legs (Standard on 36" and wider models)
- Accessory slant leg kit and pan rail
- Model widths from 18" to 72"
- Model depths: 6", 7 $\frac{3}{4}$ ", 9 $\frac{3}{4}$ ", 12", 13 $\frac{3}{4}$ ", 15 $\frac{1}{2}$ ", 15 $\frac{3}{4}$ ", 17 $\frac{1}{2}$ ", 19 $\frac{1}{2}$ ", 21 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 25 $\frac{1}{2}$ "
- Optional *Designer Colors*: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper. Non-standard colors are non-returnable
- New optional Thermostat Guard available (GRS models only)



GRS-30-I in optional *Designer Warm Red* with Accessory pan rail and food pans

GLO-RAY PORTABLE HEATED SHELVES

Model	Dimensions W x H	Voltage Single Phase	Watts	Plugs	Approx. Ship Weight
19$\frac{1}{2}$" depth I – Standard 19$\frac{1}{2}$" depth accommodates 12" x 20" steam table pans					
GRS-18-I	18" x 2 $\frac{3}{8}$ "	120	250	NEMA 5-15P	16 lbs.
GRS-24-I	24" x 2 $\frac{3}{8}$ "	120	350	NEMA 5-15P	20 lbs.
GRS-30-I	30" x 2 $\frac{3}{8}$ "	120	450	NEMA 5-15P	25 lbs.
GRS-36-I	36" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	28 lbs.
GRS-42-I	42" x 5 $\frac{3}{8}$ "	120	600	NEMA 5-15P	32 lbs.
GRS-48-I	48" x 5 $\frac{3}{8}$ "	120	700	NEMA 5-15P	36 lbs.
GRS-54-I	54" x 5 $\frac{3}{8}$ "	120	800	NEMA 5-15P	42 lbs.
GRS-60-I	60" x 5 $\frac{3}{8}$ "	120	900	NEMA 5-15P	44 lbs.
GRS-66-I	66" x 5 $\frac{3}{8}$ "	120	1000	NEMA 5-15P	50 lbs.
GRS-72-I	72" x 5 $\frac{3}{8}$ "	120	1100	NEMA 5-15P	56 lbs.
6" depth A					
GRS-18-A	18" x 2 $\frac{3}{8}$ "	120	100	NEMA 5-15P	7 lbs.
GRS-24-A	24" x 2 $\frac{3}{8}$ "	120	125	NEMA 5-15P	11 lbs.
GRS-30-A	30" x 2 $\frac{3}{8}$ "	120	150	NEMA 5-15P	9 lbs.
GRS-36-A	36" x 5 $\frac{3}{8}$ "	120	175	NEMA 5-15P	11 lbs.
GRS-42-A	42" x 5 $\frac{3}{8}$ "	120	225	NEMA 5-15P	15 lbs.
GRS-48-A	48" x 5 $\frac{3}{8}$ "	120	250	NEMA 5-15P	16 lbs.
GRS-54-A	54" x 5 $\frac{3}{8}$ "	120	275	NEMA 5-15P	17 lbs.
GRS-60-A	60" x 5 $\frac{3}{8}$ "	120	300	NEMA 5-15P	18 lbs.
GRS-66-A	66" x 5 $\frac{3}{8}$ "	120	325	NEMA 5-15P	20 lbs.
GRS-72-A	72" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	22 lbs.
7$\frac{3}{4}$" depth B					
GRS-18-B	18" x 2 $\frac{3}{8}$ "	120	100	NEMA 5-15P	10 lbs.
GRS-24-B	24" x 2 $\frac{3}{8}$ "	120	125	NEMA 5-15P	10 lbs.
GRS-30-B	30" x 2 $\frac{3}{8}$ "	120	150	NEMA 5-15P	12 lbs.
GRS-36-B	36" x 5 $\frac{3}{8}$ "	120	175	NEMA 5-15P	14 lbs.
GRS-42-B	42" x 5 $\frac{3}{8}$ "	120	225	NEMA 5-15P	19 lbs.
GRS-48-B	48" x 5 $\frac{3}{8}$ "	120	250	NEMA 5-15P	19 lbs.
GRS-54-B	54" x 5 $\frac{3}{8}$ "	120	275	NEMA 5-15P	20 lbs.
GRS-60-B	60" x 5 $\frac{3}{8}$ "	120	300	NEMA 5-15P	21 lbs.
GRS-66-B	66" x 5 $\frac{3}{8}$ "	120	325	NEMA 5-15P	26 lbs.
GRS-72-B	72" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	24 lbs.

All Glo-Ray Portable Heated Shelf Models Feature:


Pan Capacity (12" x 20"): GRS-18-I, -24-I = 1-pan
 GRS-30-I, -36-I = 2-pan
 GRS-42-I, -48-I = 3-pan
 GRS-54-I, -60-I = 4-pan
 GRS-66-I, -72-I = 5-pan

Cord Location: 6' cord and plug, located, center of side with switch.

OPTIONS AND ACCESSORIES – PAGE 121

GLO-RAY PORTABLE HEATED SHELVES continued...

Model	Dimensions W x H	Voltage Single Phase	Watts	Plugs	Approx. Ship Weight
9$\frac{3}{4}$" depth C					
GRS-18-C	18" x 2 $\frac{3}{8}$ "	120	125	NEMA 5-15P	9 lbs.
GRS-24-C	24" x 2 $\frac{3}{8}$ "	120	175	NEMA 5-15P	13 lbs.
GRS-30-C	30" x 2 $\frac{3}{8}$ "	120	225	NEMA 5-15P	14 lbs.
GRS-36-C	36" x 5 $\frac{3}{8}$ "	120	275	NEMA 5-15P	16 lbs.
GRS-42-C	42" x 5 $\frac{3}{8}$ "	120	300	NEMA 5-15P	18 lbs.
GRS-48-C	48" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	20 lbs.
GRS-54-C	54" x 5 $\frac{3}{8}$ "	120	400	NEMA 5-15P	22 lbs.
GRS-60-C	60" x 5 $\frac{3}{8}$ "	120	450	NEMA 5-15P	25 lbs.
GRS-66-C	66" x 5 $\frac{3}{8}$ "	120	500	NEMA 5-15P	28 lbs.
GRS-72-C	72" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	28 lbs.
12" depth D					
GRS-18-D	18" x 2 $\frac{3}{8}$ "	120	200	NEMA 5-15P	12 lbs.
GRS-24-D	24" x 2 $\frac{3}{8}$ "	120	250	NEMA 5-15P	15 lbs.
GRS-30-D	30" x 2 $\frac{3}{8}$ "	120	300	NEMA 5-15P	17 lbs.
GRS-36-D	36" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	20 lbs.
GRS-42-D	42" x 5 $\frac{3}{8}$ "	120	450	NEMA 5-15P	23 lbs.
GRS-48-D	48" x 5 $\frac{3}{8}$ "	120	500	NEMA 5-15P	26 lbs.
GRS-54-D	54" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	30 lbs.
GRS-60-D	60" x 5 $\frac{3}{8}$ "	120	600	NEMA 5-15P	34 lbs.
GRS-66-D	66" x 5 $\frac{3}{8}$ "	120	650	NEMA 5-15P	36 lbs.
GRS-72-D	72" x 5 $\frac{3}{8}$ "	120	700	NEMA 5-15P	37 lbs.
13$\frac{3}{4}$" depth E					
GRS-18-E	18" x 2 $\frac{3}{8}$ "	120	200	NEMA 5-15P	13 lbs.
GRS-24-E	24" x 2 $\frac{3}{8}$ "	120	250	NEMA 5-15P	14 lbs.
GRS-30-E	30" x 2 $\frac{3}{8}$ "	120	300	NEMA 5-15P	18 lbs.
GRS-36-E	36" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	22 lbs.
GRS-42-E	42" x 5 $\frac{3}{8}$ "	120	450	NEMA 5-15P	26 lbs.
GRS-48-E	48" x 5 $\frac{3}{8}$ "	120	500	NEMA 5-15P	29 lbs.
GRS-54-E	54" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	31 lbs.
GRS-60-E	60" x 5 $\frac{3}{8}$ "	120	600	NEMA 5-15P	36 lbs.
GRS-66-E	66" x 5 $\frac{3}{8}$ "	120	650	NEMA 5-15P	38 lbs.
GRS-72-E	72" x 5 $\frac{3}{8}$ "	120	700	NEMA 5-15P	40 lbs.



Glo-Ray® Portable Heated Shelves

continued



GRS-60-I



GRS-30-I in optional *Designer Black* with Accessory food pans, shown below a **GRAH-36** Strip Heater in optional *Designer Warm Red*, infinite switch and Accessory C-leg stand

GLO-RAY PORTABLE HEATED SHELVES continued...

Model	Dimensions W x H	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
15½" depth F					
GRS-18-F	18" x 2¾"	120	200	NEMA 5-15P	14 lbs.
GRS-24-F	24" x 2¾"	120	250	NEMA 5-15P	17 lbs.
GRS-30-F	30" x 2¾"	120	300	NEMA 5-15P	22 lbs.
GRS-36-F	36" x 5⅜"	120	350	NEMA 5-15P	25 lbs.
GRS-42-F	42" x 5⅜"	120	450	NEMA 5-15P	26 lbs.
GRS-48-F	48" x 5⅜"	120	500	NEMA 5-15P	32 lbs.
GRS-54-F	54" x 5⅜"	120	550	NEMA 5-15P	38 lbs.
GRS-60-F	60" x 5⅜"	120	600	NEMA 5-15P	39 lbs.
GRS-66-F	66" x 5⅜"	120	650	NEMA 5-15P	42 lbs.
GRS-72-F	72" x 5⅜"	120	700	NEMA 5-15P	46 lbs.
15¼" depth G					
GRS-18-G	18" x 2¾"	120	225	NEMA 5-15P	17 lbs.
GRS-24-G	24" x 2¾"	120	300	NEMA 5-15P	18 lbs.
GRS-30-G	30" x 2¾"	120	375	NEMA 5-15P	21 lbs.
GRS-36-G	36" x 5⅜"	120	450	NEMA 5-15P	27 lbs.
GRS-42-G	42" x 5⅜"	120	525	NEMA 5-15P	29 lbs.
GRS-48-G	48" x 5⅜"	120	600	NEMA 5-15P	33 lbs.
GRS-54-G	54" x 5⅜"	120	675	NEMA 5-15P	38 lbs.
GRS-60-G	60" x 5⅜"	120	750	NEMA 5-15P	42 lbs.
GRS-66-G	66" x 5⅜"	120	825	NEMA 5-15P	47 lbs.
GRS-72-G	72" x 5⅜"	120	900	NEMA 5-15P	46 lbs.
17½" depth H					
GRS-18-H	18" x 2¾"	120	225	NEMA 5-15P	16 lbs.
GRS-24-H	24" x 2¾"	120	300	NEMA 5-15P	18 lbs.
GRS-30-H	30" x 2¾"	120	375	NEMA 5-15P	21 lbs.
GRS-36-H	36" x 5⅜"	120	450	NEMA 5-15P	27 lbs.
GRS-42-H	42" x 5⅜"	120	525	NEMA 5-15P	32 lbs.
GRS-48-H	48" x 5⅜"	120	600	NEMA 5-15P	35 lbs.
GRS-54-H	54" x 5⅜"	120	675	NEMA 5-15P	40 lbs.
GRS-60-H	60" x 5⅜"	120	750	NEMA 5-15P	44 lbs.
GRS-66-H	66" x 5⅜"	120	825	NEMA 5-15P	49 lbs.
GRS-72-H	72" x 5⅜"	120	900	NEMA 5-15P	50 lbs.


All Glo-Ray Portable Heated Shelf Models Feature:

Cord Location: 6' cord and plug, located, center of side with switch.

OPTIONS AND ACCESSORIES – PAGE 121

GLO-RAY PORTABLE HEATED SHELVES continued...

Model	Dimensions W x H	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
21½" depth J					
GRS-18-J	18" x 2¾"	120	300	NEMA 5-15P	19 lbs.
GRS-24-J	24" x 2¾"	120	375	NEMA 5-15P	24 lbs.
GRS-30-J	30" x 2¾"	120	450	NEMA 5-15P	30 lbs.
GRS-36-J	36" x 5⅜"	120	525	NEMA 5-15P	33 lbs.
GRS-42-J	42" x 5⅜"	120	675	NEMA 5-15P	39 lbs.
GRS-48-J	48" x 5⅜"	120	750	NEMA 5-15P	45 lbs.
GRS-54-J	54" x 5⅜"	120	825	NEMA 5-15P	49 lbs.
GRS-60-J	60" x 5⅜"	120	900	NEMA 5-15P	53 lbs.
GRS-66-J	66" x 5⅜"	120	975	NEMA 5-15P	60 lbs.
GRS-72-J	72" x 5⅜"	120	1050	NEMA 5-15P	64 lbs.
23½" depth K					
GRS-18-K	18" x 2¾"	120	325	NEMA 5-15P	19 lbs.
GRS-24-K	24" x 2¾"	120	425	NEMA 5-15P	27 lbs.
GRS-30-K	30" x 2¾"	120	525	NEMA 5-15P	33 lbs.
GRS-36-K	36" x 5⅜"	120	625	NEMA 5-15P	36 lbs.
GRS-42-K	42" x 5⅜"	120	750	NEMA 5-15P	43 lbs.
GRS-48-K	48" x 5⅜"	120	850	NEMA 5-15P	48 lbs.
GRS-54-K	54" x 5⅜"	120	950	NEMA 5-15P	52 lbs.
GRS-60-K	60" x 5⅜"	120	1050	NEMA 5-15P	56 lbs.
GRS-66-K	66" x 5⅜"	120	1150	NEMA 5-15P	68 lbs.
GRS-72-K	72" x 5⅜"	120	1250	NEMA 5-15P	69 lbs.
25½" depth L					
GRS-18-L	18" x 2¾"	120	350	NEMA 5-15P	22 lbs.
GRS-24-L	24" x 2¾"	120	475	NEMA 5-15P	26 lbs.
GRS-30-L	30" x 2¾"	120	600	NEMA 5-15P	33 lbs.
GRS-36-L	36" x 5⅜"	120	725	NEMA 5-15P	37 lbs.
GRS-42-L	42" x 5⅜"	120	825	NEMA 5-15P	43 lbs.
GRS-48-L	48" x 5⅜"	120	950	NEMA 5-15P	50 lbs.
GRS-54-L	54" x 5⅜"	120	1075	NEMA 5-15P	58 lbs.
GRS-60-L	60" x 5⅜"	120	1200	NEMA 5-15P	60 lbs.
GRS-66-L	66" x 5⅜"	120	1325	NEMA 5-15P	64 lbs.
GRS-72-L	72" x 5⅜"	120	1450	NEMA 5-15P	69 lbs.



Glo-Ray® Designer Portable Heated Shelves

Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food. Hatco's Designer Portable Heated Shelves can blend into any décor.

- Built-in adjustable thermostatic controls
- Rounded edges and Hardcoat Aluminum surface offer a modern style for front-of-the-house applications
- Model widths from 30¼" to 78¼"
- Optional Dark Gray corner caps (black Standard) and Designer Color inset panels available
- 4" legs Standard on 30" and wider models

GR2S-30 with optional Designer Hunter Green inset panels and Accessory pizza pans



GLO-RAY DESIGNER PORTABLE HEATED SHELVES

Model®	Dimensions (W x D x H) Height includes legs	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
GR2S-24	30¼" x 27" x 4"	120	350	NEMA 5-15P	37 lbs.
GR2S-30	36¼" x 27" x 7"	120	450	NEMA 5-15P	40 lbs.
GR2S-36	42¼" x 27" x 7"	120	550	NEMA 5-15P	45 lbs.
GR2S-42	48¼" x 27" x 7"	120	600	NEMA 5-15P	51 lbs.
GR2S-48	54¼" x 27" x 7"	120	700	NEMA 5-15P	56 lbs.
GR2S-54	60¼" x 27" x 7"	120	800	NEMA 5-15P	61 lbs.
GR2S-60	66¼" x 27" x 7"	120	900	NEMA 5-15P	67 lbs.
GR2S-66	72¼" x 27" x 7"	120	1000	NEMA 5-15P	75 lbs.
GR2S-72	78¼" x 27" x 7"	120	1100	NEMA 5-15P	82 lbs.

® When no color is specified, color inset panels and corner caps will be black.

All Glo-Ray Designer Portable Heated Shelf Models Feature:

Pan Capacity (12" x 20"): GR2S-24 = 1-pan
 GR2S-30, -36 = 2-pan
 GR2S-42, -48 = 3-pan
 GR2S-54, -60 = 4-pan
 GR2S-66, -72 = 5-pan

Usable Heated Shelf Space: (Width of unit minus 6⅞") x 21¼"D.

Cord Location: 6' cord and plug located on center of bottom on control side.

OPTIONS (available at time of purchase only)

Designer Colors (top surface not painted) – Clear Anodized standard – Non-standard colors are non-returnable –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Inset Panel colors, GR2S models – Non-standard colors are non-returnable – Black standard –

RED	Warm Red
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Corner Caps, GR2S models – Non-standard colors are non-returnable – Black standard –

DKGRAY Dark Gray Corner Caps

Hardcoat Aluminum surface in lieu of Stainless Steel on standard 19 ½" deep GRS models only (please consult factory for pricing of other depths)

HC 18-42	GRS-18 through GRS-42
HC 48-72	GRS-48 through GRS-72
GRS-RECTH	Thermostat Guard (GRS models only)



ACCESSORIES (available for purchase at any time)


GRS-LEGS	4" Adjustable Legs (GRS models only, standard on units GRS-36 and wider)
2SD-LEGS	4" Adjustable Legs for GR2S-24 (standard on GR2S-30 and wider)
GRS-SLANT	Slant Leg Kit for models 12" deep or deeper (GRS models only)

Pan Rail for – 19½" deep GRS models only –

2 RAIL	2-pan
3 RAIL	3-pan
4 RAIL	4-pan
5 RAIL	5-pan

THRUSHelf Bolt and fender washer leg accessory kit for attaching one GRS unit to a wire rack shelf

FOOD PANS AND TRIVETS – PAGE 245 COLORS AND FINISHES – INSIDE BACK COVER



GR 2 S - xx
 Glo-Ray
 Designer
 Width of Heated Surface (inches)
 Heated Shelf


Glo-Ray® Portable Rectangular Heated Simulated Stone Shelves

Match the heat zone to your countertops with Hatco's Glo-Ray® Simulated Stone Portable Rectangular Heated Shelves. These portable foodsafe shelves come in three simulated stone colors and are ideal for buffet lines or as hors d'oeuvre displays. These unique warmers will safely hold food hot while blending in with your décor.

- Made of approved foodsafe materials
- Features a lighted rocker switch and thermostatically-controlled heated base to help hold your food hot and delicious
- Models with simulated stone are Swanstone® and Dekton®



GRSS-3618 in optional Bermuda Sand simulated stone (view of base)



GRSS-3618 with optional Dekton® Soke stone surface

GLO-RAY SIMULATED STONE PORTABLE RECTANGULAR HEATED SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
GRSS-2418	23 ⁷ / ₈ " x 17 ⁷ / ₈ " x 2 ¹ / ₂ "	120	635	NEMA 5-15P	27 lbs.
GRSS-3018	29 ⁷ / ₈ " x 17 ⁷ / ₈ " x 2 ¹ / ₂ "	120	780	NEMA 5-15P	30 lbs.
GRSS-3618	35 ⁷ / ₈ " x 17 ⁷ / ₈ " x 2 ¹ / ₂ "	120	930	NEMA 5-15P	35 lbs.
GRSS-4818 ‡	47 ⁷ / ₈ " x 17 ⁷ / ₈ " x 6 ¹ / ₄ "	120	1270	NEMA 5-15P	45 lbs.
GRSS-6018 ‡	59 ⁷ / ₈ " x 17 ⁷ / ₈ " x 6 ¹ / ₄ "	120	1560	NEMA 5-20P	56 lbs.
GRSS-7218 ‡	71 ⁷ / ₈ " x 17 ⁷ / ₈ " x 6 ¹ / ₄ "	120	1860	NEMA 5-20P	68 lbs.

‡ Height includes standard 4" legs.

All Glo-Ray Simulated Stone Portable Rectangular Heated Shelf Models Feature:

Cord Location: 6' cord and plug, center of side with switch.

OPTIONS (available at time of purchase only)

Simulated stone colors – Non-standard colors are non-returnable – Night Sky standard –

SS-GGRAN	Gray Granite
SS-BSAND	Bermuda Sand

Dekton® Stone Colors – All Dekton surfaces are non-returnable –

GRSS-2418 – Rectangular Heated Shelves –

DOMOOS	Domoos
REM	Rem
SOKE	Soke

GRSS-3018 – Rectangular Heated Shelves –

DOMOOS	Domoos
REM	Rem
SOKE	Soke

GRSS-3618 – Rectangular Heated Shelves –

DOMOOS	Domoos
REM	Rem
SOKE	Soke

GRSS-4818 – Rectangular Heated Shelves –

DOMOOS	Domoos
REM	Rem
SOKE	Soke


GRSS-6018 – Rectangular Heated Shelves –

DOMOOS	Domoos
REM	Rem
SOKE	Soke

GRSS-7218 – Rectangular Heated Shelves –

DOMOOS	Domoos
REM	Rem
SOKE	Soke

COLORS AND FINISHES – INSIDE BACK COVER



Dekton® stone surfaces that are available for these models:

Domoos



Rem



Soke



Note: Due to the natural texture, patterns may vary.

Portable Rectangular Heated Base Glass Shelves

The Hatco Heated Base Glass Portable Rectangular Shelves have a heated ceramic glass surface to create uniform heat across the entire surface and are made of approved foodsafe materials. Adjustable thermostatic controls allow surface temperature ranging from 100° to 195°F to be controlled easily.

- Shelves are made of approved foodsafe materials
- Equipped with a Trim Ring that is available in stainless steel (Standard), *Designer Black* or *White*
- Lighted On/Off rocker switch
- All units come with a 6' cord and plug
- Surface is made of approved foodsafe materials



HBG-FS-24 shown with optional Black angled Food Stop (detail view) with **HBG-TRIM-BLK** optional *Designer Black* trim ring



HBG-2418 in Standard Black Glass and stainless steel trim ring



HBG-2418 with optional White Glass, Frame and Trim Ring

PORTABLE RECTANGULAR HEATED BASE GLASS SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
HBG-2418	24 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ "	120	425	NEMA 5-15P	29 lbs.
HBG-3018	30 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ "	120	525	NEMA 5-15P	33 lbs.
HBG-3618 †	36 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	630	NEMA 5-15P	36 lbs.
HBG-4818 ‡	48 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	850	NEMA 5-15P	42 lbs.
HBG-6018 ‡	60 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	1050	NEMA 5-15P	60 lbs.
HBG-7218 ‡	72 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	1260	NEMA 5-15P	68 lbs.

† Height includes standard 4" legs.

≈ Units 48" and larger are constructed of two equal sized pieces of glass which create a seam.

All Portable Rectangular Heated Base Glass Shelf Models Feature:

Cord Location: 6' cord and plug, center of the side with switch.

OPTIONS (available at time of purchase only)

Ceramic Glass Color – Non-standard colors are non-returnable – Black standard –
HBG-GLASS-WHT White

Angled Food Stop keeps product on the heat zone – Choose size/color


24"	HBG-FS-24	Designer Black
30"	HBG-FS-30	Designer Black
36"	HBG-FS-36	Designer Black
48"	HBG-FS-48	Designer Black
60"	HBG-FS-60	Designer Black
72"	HBG-FS-72	Designer Black
24"	HBG-FSW-24	White
30"	HBG-FSW-30	White
36"	HBG-FSW-36	White
48"	HBG-FSW-48	White
60"	HBG-FSW-60	White
72"	HBG-FSW-72	White

Trim Ring – Stainless Steel standard

HBG-TRIM-BLK	Designer Black
HBG-TRIM-WHT	White

Frame (base) color – Non-standard colors are non-returnable – Black standard –
HBG-FRAME-WHT White

COLORS AND FINISHES – INSIDE BACK COVER





Heated Glass Modular Shelf

Hatco's Heated Glass Modular Shelf creates uniform heat across the entire top surface. The new design uses a modular system, so units can be placed side-by-side. This allows for marvelous flexibility in buffet areas.

- Unit's glass surface accommodates one 12" x 20" food pan
- Thermostatically-controlled with five settings: 130°F, 150°F, 165°F, 185°F and 200°F
- Durable stainless steel housing
- Simple design for easy cleaning and maintenance
- All units come with a 6' cord and plug, located under control side of unit



HGSM-1P


PORTABLE HEATED GLASS MODULAR SHELF

Model ^⓪	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Approx. Ship Weight
HGSM-1P	15 ³ / ₄ " x 23 ⁵ / ₈ " x 2 ⁵ / ₁₆ "	120	300	NEMA 5-15P	16 lbs.

^⓪ No direct food contact on surface - use pans.

All Heated Glass Modular Shelf Models Feature:

Cord Location: 6' cord and plug, located under control side of unit.



Glo-Ray® Mini-Merchandisers

Hatco's convenient Glo-Ray® Mini-Merchandisers create impulse sales by placing fresh product in front of customers. Using limited amount of valuable counterspace, these flexible warmers come in a variety of shapes, sizes and colors to hold food samples, hors d'oeuvres and packaged product at just the right temperature.

- Ideal for areas with limited counterspace
- Thermostatically-controlled heated base extends holding times of most foods
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is the greatest
- Food stop, 4" food bins are Standard (GRHW-1SG and -1SGS only)
- Lighted rocker switch for easy On/Off



GRHW-1P with
Accessory food pan



GRHW-1SG with
Standard bins



GRHW-2P with
Standard 4" legs
and Accessory
food pans



GRHW-1SGDS
in Standard
Designer Black

GLO-RAY MINI-MERCHANDISERS

Model	Description	Dimensions W x D x H Includes sneeze guard	Voltage Single Phase	Watts	Plug	Base/Shelf Dimensions W x D	Approx. Ship Weight
Single Shelf							
GRHW-1P	Hors d'oeuvres warmer, 2 bulbs	22¼" x 16 5/16" x 17¾"	120	820	NEMA 5-15P	21" x 13¾"	35 lbs.
GRHW-2P*	Hors d'oeuvres warmer, 4 bulbs	43¼" x 16 5/16" x 20¾"	120	1640	NEMA 5-15P	42" x 13¾"	67 lbs.
GRHW-1SG	Single horizontal shelf, 2 bulbs	22¼" x 16 5/16" x 17¾"	120	820	NEMA 5-15P	21" x 13¾"	37 lbs.
GRHW-1SGS	Single slanted shelf, 2 bulbs	22¼" x 16 5/16" x 18¼"	120	820	NEMA 5-15P	21" x 14¼"	40 lbs.
Dual Shelf							
GRHW-1SGD	Dual shelf, 4 bulbs	22½" x 20 13/16" x 23½"	120	1330	NEMA 5-15P	Bottom: 21" x 13¾" Top: 21" x 14"	40 lbs.
GRHW-1SGDS	Hardcoat & slanted base, 4 bulbs	22½" x 21" x 23½"	120	1330	NEMA 5-15P	Bottom: 21" x 14¾" Top: 21" x 14"	40 lbs.


* Canada uses 5-20P

All Glo-Ray Mini-Merchandiser Models Feature:

Included with Merchandiser: Thermostatically-controlled base, 7½" sneeze guard, display lights, 1" rubber legs (except GRHW-2P has 4" legs), five 4" bins (GRHW-1SG, -1SGS only), 6' cord and plug.

Cord Location: GRHW-1SGD, -1SGDS: Control side, bottom right.

All Other Models: 6' cord and plug, base end plate, same side as switch.



OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Clear Anodized Aluminum standard – (Designer Color included on GRHW-1SGD, 1SGDS units, Designer Black standard)

RED	Warm Red
BLACK	Black (standard on GRHW-1SGD, 1SGDS units)
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper
HAL	60 Watt Halogen Bulb in lieu of standard Display Light
PANEL	Plexi-Glass Side Panels (GRHW-1P, -2P, -1SG only)
1SGD-SLOPE	Sloped Front Sign Holder (GRHW-1SGD, -1SGDS only)

ACCESSORIES (available for purchase at any time)

4" LEGS 4" Adjustable Legs (GRHW-1P, -1SG only) – Standard on GRHW-2P

Chef LED 120V adjustable bulb – bulbs must be rotated down –

CLED-3000-120 Similar to warm Halogen light **CLED-4000-120** Similar to cool Fluorescent light

FOOD PANS AND TRIVETS – PAGE 245
COLORS AND FINISHES – INSIDE BACK COVER



CLED-3000 and -4000
Accessory

Glo-Ray® Buffet Warmers

Hold hot food at optimum serving temperatures on buffet lines or at temporary serving areas with Hatco Glo-Ray® Buffet Warmers. Choose from either Standard or *Designer* style models in many widths to fit your operation.

- Available with *Designer* Color insets with the choice of an entire unit in color as well
- Thermostatically-controlled heated base of 80° - 200°F extends holding times of most foods
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Sturdy plexi-glass Sneeze Guard
- Shatter-resistant incandescent lights enhance product displays while safeguarding food from bulb breakage
- Available in a variety of widths from 25"-78¼"
- Optional infinite control for top heat only



GRBW-30 in optional *Designer* Navy Blue and Accessory food pans



GR2BW-30 with optional *Designer* Warm Red inset panels and Accessory food pans



GR2BW-30 in optional *Designer* Black and plexi-glass side enclosures plus Accessory food pans

GLO-RAY BUFFET WARMERS

Model	No. of Light Bulbs	Dimensions W x D x H Includes sneeze guard	Maximum Pan Capacity 12" x 20" pan	Voltage	Watts	Plug	Approx. Ship Weight
GRBW-24 [✓]	2	25" x 22½" x 17¾"	1	120	970	NEMA 5-15P	46 lbs.
GRBW-30 [✓]	2	31" x 22½" x 17¾"	2	120	1230	NEMA 5-15P	52 lbs.
GRBW-36 ^{✓✦}	3	37" x 22½" x 20¾"	2	120	1530	NEMA 5-15P	58 lbs.
GRBW-42 ^{✓✦}	3	43" x 22½" x 20¾"	3	120	1730	NEMA 5-15P	68 lbs.
GRBW-48 ^{✓⊙}	4	49" x 22½" x 20¾"	3	120	2040	NEMA 5-20P	75 lbs.
GRBW-54	4	55" x 22½" x 20¾"	4	120/208-240	2290	NEMA L14-20P	81 lbs.
GRBW-60	5	61" x 22½" x 20¾"	4	120/208-240	2600	NEMA L14-20P	90 lbs.
GRBW-66	5	67" x 22½" x 20¾"	5	120/208-240	2860	NEMA L14-20P	96 lbs.
GRBW-72	5	73" x 22½" x 20¾"	5	120/208-240	3125	NEMA L14-20P	107 lbs.

[✓] Available in 120/208-240V, NEMA L14-20P.

[✦] Canadian models use NEMA 5-20P.

[⊙] Not available in 120V for Canada.

All Glo-Ray Buffet Warmer Models Feature:

GRBW base dimensions: 25"-73"W x 19½"D.

Cord Location: 6' cord and plug located on base end plate, same side as switch.

GLO-RAY DESIGNER BUFFET WARMERS

Model*	No. of Light Bulbs	Dimensions W x D x H Includes sneeze guard	Maximum Pan Capacity 12" x 20" pan	Voltage	Watts	Plug	Approx. Ship Weight
GR2BW-24 [✓]	2	30¼" x 27" x 19"	1	120	970	NEMA 5-15P	76 lbs.
GR2BW-30 [✓]	2	36¼" x 27" x 22"	2	120	1230	NEMA 5-15P	85 lbs.
GR2BW-36 ^{✓✦}	2	42¼" x 27" x 22"	2	120	1470	NEMA 5-15P	97 lbs.
GR2BW-42 ^{✓✦}	4	48¼" x 27" x 22"	3	120	1790	NEMA 5-15P	110 lbs.
GR2BW-48 ^{✓⊙}	4	54¼" x 27" x 22"	3	120	2040	NEMA 5-20P	125 lbs.
GR2BW-54 ^{✓⊙}	4	60¼" x 27" x 22"	4	120	2290	NEMA 5-20P	130 lbs.
GR2BW-60	6	66¼" x 27" x 22"	4	120/208-240	2660	NEMA L14-20P	154 lbs.
GR2BW-66	6	72¼" x 27" x 22"	5	120/208-240	2920	NEMA L14-20P	169 lbs.
GR2BW-72	6	78¼" x 27" x 22"	5	120/208-240	3185	NEMA L14-20P	186 lbs.

[⊙] When no color is specified, color inset panels and corner caps will be black.

[✓] Available in 120/208-240V, NEMA L14-20P.

[✦] Canadian models use NEMA 5-20P.

[⊙] Not available in 120V for Canada.

All Glo-Ray Designer Buffet Warmer Models Feature:

Usable Heated Shelf Space: Width of unit minus 6½" x 21¼"D.

Cord Location: 6' cord and plug located on center of bottom on control side.

OPTIONS AND ACCESSORIES – PAGE 127

GR 2 BW - xx
 Glo-Ray ——— 2 = *Designer*
 No character = Not *Designer*
 Width of Unit (inches)
 Buffet Warmer



**GRBW-30 with
Accessory Food Pans**

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Clear Anodized Aluminum standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Inset Panel colors, GR2BW models – Non-standard colors are non-returnable – Black standard –

RED	Warm Red
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Corner Caps, GR2BW models – Non-standard colors are non-returnable – Black standard –

DKGRAY	Dark Gray
---------------	-----------

Plexi-Glass Front and two Side Enclosures in lieu of Sneeze Guards – Available for GRBW-24, -30, -36, -42 and -48 models only –

FRTENCL-24, -30	-24 and -30 models
FRTENCL-36, -42, -48	-36, -42, & -48 models
SIDE-ENCL	Two Plexi-Glass Side Enclosures (GRBW models only)
SIDE-ENCL2	Two Plexi-Glass Side Enclosures (GR2BW models only)

Hardcoat Aluminum Surface, GRBW models –

HC 24-42	GRBW-24 through GRBW-42
HC 48-72	GRBW-48 through GRBW-72
INF	Infinite Control for top heat only (GRBW-24 through GRBW-60 and GR2BW-24 through GR2BW-60 models only)
9.375BP	9 3/8" Sneeze Guard in lieu of standard 7 1/2" (GRBW models only)
14BP	14" Sneeze Guard in lieu of standard 7 1/2"
HAL	60 Watt Halogen Bulb in lieu of standard Display Light

ACCESSORIES

GRBW-LEGS	4" adjustable legs for GRBW-24 models (standard on GRBW-42 or wider)
2SD-LEGS	4" Designer Legs for GR2BW-24 models (standard on GR2BW-30 or wider)
Pan Rail for GRBW models (not for use with Plexi-Glass front enclosure)	
2 RAIL	2-pan
3 RAIL	3-pan
4 RAIL	4-pan
5 RAIL	5-pan

Chef LED 120V adjustable bulb – bulbs must be rotated down –

CLED-3000-120	Similar to warm Halogen light	CLED-4000-120	Similar to cool Fluorescent light
----------------------	-------------------------------	----------------------	-----------------------------------

FOOD PANS AND TRIVETS – PAGE 245


COLORS AND FINISHES – INSIDE BACK COVER



CLED-3000 and -4000
Accessory



2 RAIL



3 RAIL



2SD-LEGS